



中国国家强制性产品认证证书

证书编号：2024010302646903

认证委托人名称及地址

法国溯高美电气公司

1, Rue De Westhouse 67230 Benfeld Cedex France

生产者名称及地址

法国溯高美电气公司

1, Rue De Westhouse 67230 Benfeld Cedex France

生产企业名称及地址

SOCIETE TIMELEC SARL

ZONE INDUSTRIELLE CHEBEDA ROUTE DE FOUCHANA NAASSEN 1135 NAASSEN
GOUVERNORAT DE BEN AROUS, Tunisia

产品名称和系列、型号、规格

负荷隔离开关

SIRCO MV PV 40A, SIRCO MV PV 63A, SIRCO MV PV 80A, SIRCO MV PV 100A, SIRCO MV
PV 125A, SIRCO MV PV 160A; 详见附页

产品标准和技术要求

GB/T 14048.3-2017

上述产品符合《强制性产品认证实施规则 低压电器 低压元器件》
(CNCA-C03-02:2024) 的要求，特发此证。

发证日期：2024 年 06 月 25 日 有效期至：2029 年 06 月 24 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站 (www.cnca.gov.cn) 查询。



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号: 2024010302646903

证书附页: 第 1 页 共 1 页

SIRCO M V PV 40A,SIRCO M V PV 63A,SIRCO M V PV 80A,SIRCO M V PV 100A,
SIRCO M V PV 125A,SIRCO M V PV 160A ;

额定冲击耐受电压(U_{imp}):8kV ;

额定绝缘电压(U_i): 1000V ;

约定发热电流(I_{th}):40A , 63A ,80A ,100A ,125A ,160A ;

额定工作电压(U_e):DC 800V (适用于 3P 外形),DC 1000V (适用于 4P 外形),;


额定工作电流(I_e):40A , 63A ,80A ,100A ,125A ,160A ;

额定短时耐受电流(I_{cw}):5kA /1s;


额定短路接通能力(I_{cm}):7.7kA ;

使用类别:DC -21B ;

极数:见直流接线示意图;



4 极 (1000VDC): 两极串联为正负极



3 极 (750VDC): 两极串联为正极

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010302646903

NAME AND ADDRESS OF THE APPLICANT

SOCOMECS.A.S

1, Rue De Westhouse 67230 Benfeld Cedex France

NAME AND ADDRESS OF THE MANUFACTURER

SOCOMECS.A.S

1, Rue De Westhouse 67230 Benfeld Cedex France

NAME AND LOCATION OF THE FACTORY

SOCIETE TMELEC SARL

ZONE INDUSTRIELLE CHEBEDA ROUTE DE FOUCHANA NAASSEN 1135 NAASSEN

GOUVERNORAT DE BEN AROUS, Tunisia

PRODUCT NAME, MODEL AND SPECIFICATION

Load Switch-disconnector

SIRCOMVPV 40A, SIRCOMVPV 63A, SIRCOMVPV 80A, SIRCOMVPV 100A, SIRCOMVPV
125A, SIRCOMVPV 160A ;See the Appendix

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.3-2017

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification (REFNO. CNCA-C03-02:2024).

Valid from : Jun.25,2024

Valid until: Jun.24,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010302646903

Appendix: Page 1 of 1

SIRCO M V PV 40A, SIRCO M V PV 63A, SIRCO M V PV 80A, SIRCO M V PV 100A,
SIRCO M V PV 125A, SIRCO M V PV 160A ;

U_{imp}: 8kV ;

U_i: 1000V ;

I_{th}: 40A, 63A, 80A, 100A, 125A, 160A ;

U_e: DC 800V (for 3P style), DC 1000V (for 4P style), ;


I_e: 40A, 63A, 80A, 100A, 125A, 160A ;

I_{cw}: 5kA /1s;


I_{cm}: 7.7kA ;

Utilization category: DC-21B ;

Poles: See DC connection mode below ;



4 极 (1000VDC): 两极串联为正负极



3 极 (750VDC): 两极串联为正极

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.